

AFFIDAVIT OF PLUGGING AND FILLING WELL


AFFIDAV	T SHOULD	BE IN TR	RIPLICATE,	one copy	mailed to	the Dep	artment, or	ne c	opy to	be ref	tained by	the
Well Operato												
their respective	ve address	es.									•	
Farm name:	Inaleh.	MICOL	James	S On	aratar Mall	No.	1-2017	4	:	1	Maria	- 3

Farm name:	Fankhouser	James	Operator Well No.: 1-20	07) Kessinger & Meye	15#1
LOCATION:	Elevation: 783	,	Quadrangle: Madis	04	
	District: Washi				
	Latitude: 12, 44	Feet South of	<u>38</u> Deg. <u>o ≤</u> Min	OO Sec.	
			8/ Deg. <u>47</u> Min.		
		, -		dire.	
Well Type: 0	OIL GAS	<u> </u>			
Company	Cabot Oil + Gas	Com, Coal Or	perator - N/A	*	
	Five Penn Center V	Vest Sta 40br Own	James A. Faul	chauser	_
	Pittsburgh PA;		105 Handley	Circle, Danville W.V. 250	<u> 25</u> 3
Agent		Coal O or Own			_
Permit Issu	ed Date	5-13 ·			_
	77	1			_
STATE OF W	EST YIRGINIA,	Α	FFIDAVIT		
	Booness:				
1 June 1	au atu				
and say that th	nev are experienced in t	he work of plugging a	nd filling oil and gas wells and	duly sworn according to law de I were employed by the above na	pose
well operator,	and participated in the	work of plugging an	d filling the above well say t	hat said work was commenced	d on
the	day of _DPCPMC	001, 20 <u>14,</u> and the	well was plugged and filled	in the following manner:	
TYPE	FROM	то	PIPE REMOVED	LEFT	\neg
Cement	1452'	1037	1452' of 23/8	306'08 23/8 & Packe	7
Cement	1015	6881		1,020' of 65/8	
Cement	450'	Surface		530'0F 814	Possina
					Received
					of Oil 8
6% Gel Spa	ce between cemen	+ Plugs			JAN 2 2 201
Description	of monument: 10 Stof	4/2csg W/A.P.I#	or Plug date weldedon Si	d that the work of plugging and fi	lling
said well was o	completed on the	day of December	er_, 20 <u>14</u> .	a that the work of plugging and h	iiiig
And further	deponents saith not.	Warm Ha	weta	OFFICIAL SEAL STATE OF WEST VIRO	SINIA
And faither	deponents satti not.	1000g 170	very	NOTARY PUBLIC David N. Brannor	}
		Josson Mo	MM	HC 75 Box 410 Chloe, WV 2523 My Commission Expires Decem	5 /
Sworn and	subscribe before me thi	s 31 st day of Du	cemby , 20 14	My Commission x xpires	
My commission	n expires:	ry 10,2017	Havid M. P.	annon	
	(Notary Public		
Affidavit review	ved by the Office of Oil	and Gas: Mu	y W Vila	Inspectable le	20
A III GANGE	ou by the Office of Office	any Gas.	1-5-15	Title:	_
			-) / 9		

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Alawes	t, Inc.			_Opera	tor We	li No.:_	101	44		
LOCATION:	Elevation:	1826 fe	et		_ Quad		_	avy			
LOOMINGN.	District:	D: 0			Cour	_	•	Dowe	1		
	•	14,700		South of	_	•				0	
		10,250						Min		Sec.	
	Longituae	10,200	Feet	West of		_Deg.		Min.	30	Sec.	
Well Type: 0	OIL	GAS X									
Company	CNX Ga	s Compa	ny LLC	Coal O	perator	Alaw	est, Inc	•			
	627 Claypo	ol Hiii Mali R	oad	or Own	ег	PO B	ox 920				
	Cedar Bluff,	VA 24609				Welch	, WV 2	24801			
				Coal O	-						
Agent	Matthew			or Own	er						
Permit Issue	ed Date	042	<u>4 14 </u>								
				Δ	FFIDA	VIT					
STATE OF W	EST VIRGIN	NIA,		,		•••					
County of Merc	er	ss:									
Ja	ason Riley	and	1	Russell i	Necessa	rv	hoi	na firmt a	luba ou	uam accedine t	le le denese
						·	o	ng mist (velis and	were e	worn according temployed by the	o law depose above named
well operator,	and particip	pated in the	work of pla	ugging ar	nd filling	the ab	ove we	ell say t	hat sa	id work was cor	mmenced on
the 4th	day of _	August	, 20 <u>14</u> ,	and the	well wa	ıs plugg	ed an	d filled i	n the fo	llowing manner:	
TYPE	- FE	ROM	TC			IPE RE	MOV	En	T	LECT	
13 3/8" steel		Oft .	61 f		<u>_</u>	IFE RE		ED	+	LEFT 61 ft	
9 5/8" steel		Oft .	1116						+	1116 R	
5 1/2° steel		O ft	1800			180	00 ft		_		
5 1/2° steel	18	800 ft	4512	ft					1	2712 ft	
class A cement	22	255 ft	4120	ft						R	ECEIVED
6% gel spacer	2.	155 ft	2255	ft						Office	Of Oil
class A cement		Oft	2155	ft							of Oil and Gas
Description of	of monumen	4. 5 1/2" x 4	l ft steel mor	ument with	h descrip	tion			446-44	he work of plugg	
said well was c						20 14		an	ı ınaı ıı	us work or brugg	யும் காகாங்கி
			,			_v <u></u> .				WVD	Anortes .
And further	deponents s	aith not.	Show	-70				_ /		Environm	epartment of
			Q.,_	· 44 — 70 .					(L	Coming	Protection
			444	- 1 U		7		`	W CON		30.0
Sworn and s	ubscribe be	fore me this	s <u> 44</u> 位	y of	Janu	214	, 20	13			i. ira
My commission	_	0/30/15	<u> </u>		4) <u>u</u>	lotary I	LLL Public			
Affidavit review	ed by the O	ffice of Oil e	and Gas:	Y	Kee	mby			Title:	Ivspect	, 0-


10144 PLUGGING AND ABANDONMENT Plugged 8/4-18/2014



AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Alawest, Inc).		_Operat	or Well	No.: 1	0220				
LOCATION:	Elevation: 234	45 feet		_ Quad							
				Coun	tangle.	McE	owell			_	
	Latitudo: 12	Creek	South of	. Couii	ιy. >	20	14:-	30			
	Longitude: _/	0,000 Fee	t West of	81	_Deg	<u>>5</u>	_Min	00	Sec.	•	
Well Type: 0	OIL GA	s_x									
Company	CNX Gas C	ompany LLC	Coal Or	erator	Alawes	t, Inc.	•				
	627 Claypool Hill	Mail Road	or Own		PO Box						•
	Cedar Bluff, VA	24609	-		Welch,	WV 248	01				•
	Adatth accordance	- -	Coal O	_							
Agent	Matthew Imri		or Own	er							
Permit Issue	ed Date	080614	-								
			Δ	FFIDAV	/IT						
	EST VIRGINIA,				••						
County of Mero	er s	s:									
Ja	ason Riley	and	Russell N	Vecessan	,	boine	Alleman and add a				
and say that the	ey are experienc	ed in the work of	plugging a	ınd filling	oil and	_being _as wel	ins toui Is and w	y swor ere emn	n accord	ling to law depo	ose and
well operator,	and participated	in the work of pl	ugging an	d filling	the abov	ve well	say tha	said	work wa	s commenced	on
the <u>9th</u>	day of Septer	nber , 20 <u>14</u>	, and the	well was	plugge	d and t	filled in t	he follov	ving mar	nner:	
TYPE	FROM	т т		DII	DE DEL	40\/EE					7
9 5/8" steel	O ft	582		FII	PE REN	NOVEL		E02 A (42 1	LEI		
4 1/2" steel	Oft	1900			1900	R		002 IL (13 c	set in m	nine void 513' to 580'	4
4 1/2" steel	1900 ft	4512	ft						2612	2 ft.	1
fill	4510 ft	4520	ft								1
class A cement	2296 ft	4510	ft								7
6% gel spacer	2204 ft	2296]
class A cement	0 ft	2204	ft]
Description o	£	1/2" v // ft stool moi									
	r monument: 😁	IVE AT IL SECOI HIGH	iumeni wiin	descripti	on		and th	at the u	work of n	والتعام المعامل	
SOID WOII WAS C		10th day of 0					_ and th	at the v	vork of p	luggi角巨仓門	V ED
	ompleted on the	10th day of 0			on 20 <u>14</u> .		_ and th	eat the v	vork of p	luggi 同画也 ffice of Oil	VED and Gas
		10th day of 0					_ and th	at the v	vork of p O	ffice of Oil	VED and Gas
	ompleted on the	10th day of 0					and th	eat the v	Nork of p	ince of Oil	and Gas
And further o	ompleted on the	not.	ctober O Ne				and th	Afr Coop	BEVE NOT	FILYAN 22 ARY PUBLIC	and Gas 2015
And further o	ompleted on the	not.				20	and th	My Com	BEVE NOT. Referen	FILYAN 22 ARY PUBLIC	and Gas 2015
And further o	ompleted on the deponents saith rubscribe before	not.	ctober O Ne			20	and the	Any Com	BEVE NOT Common Red TIVE	FILYAN 22 ARY PUBLIC	and Gas 2015 nent of
And further o	ompleted on the deponents saith rubscribe before	not.	ctober O Ne		014.	20 Sary Put	<u> </u>	the v	BEVE NOT PROPERTY OF THE PROPERTY OF THE PROPE	FILYAN 22 ARY PUBLIC	and Gas 2015 nent of
And further of Sworn and so	ompleted on the deponents saith rubscribe before	not. Ques	ctober O Ne		014.	20		My Com	BEVE NOT	IIICE OF OII	and Gas 2015


10220 PLUGGING AND ABANDONMENT Plugged 9/9-10/10/2014



AFFIDAVIT OF PLUGGING AND FILLING WELL

	Alawest, I	nc.		_Opera	itor We	il No.:	104	153			
LOCATION:	Elevation: 1889	feet		Ous	drangle	. D	avy	-			
	District: Big C			_ Qua	•	· —	Dowe	1			
	Latitude: 4200		South of	_	Deg.	25	· · · · · · · · · · · · · · · · · · ·		0		
	Longitude: 5750		West of		Deg. Deg.		_ Min	30	Sec.		
	Longitude		WEST OI		Deg.		iviin.		Sec.		
Well Type: (OIL GAS _	×								•	
Company	CNX Gas Com	pany LLC	Coal O	perator	Alawe	st, Inc.					
	627 Claypool Hill Ma	II Road	or Own	er	PO Bo	x 920					
	Cedar Bluff, VA 246	09			Welch	, WV 2	4801				
	A dotthour locates		Coal O	-	·						
Agent Permit Issue	Matthew Imrich	-0.11	or Own	er							
remmi issue	a Date 67	0914									
			А	FFIDA	VIT						
STATE OF W County of Merc	EST VIRGINIA,										
county of	ss:										
		and	Russell			beir	ng first o	luly sw	om according t	o law depo	se
and say that th	ey are experienced	n the work of	plugging a	and fillin	g oil and	gas w	ells and	were en	noloved by the	above nam	ed
the 24th	and participated in t	ne work of plu 2014	ugging an	well wa) the ab	ove we	eli say ti	hat said	d work was cor lowing manner:	mmenced	on
				WG11 WC	ia biugg	eu aik	i mea i	ii uie ioii	owing manner:		
TYPE	FROM										
	FICOIVI	TO		Р	IPE RE	MOVE	ED	T	LEFT		7
13 3/8" steel	Oft	26 ft		Р	IPE RE	MOVE	ED		LEFT 26 ft		1
9 5/8" steel	Oft Oft	26 ft 1021 i	ft	Р	IPE RE	MOVE	ED				
9 5/8" steel 4 1/2" steel	0 ft 0 ft 0 ft	26 ft 1021 i 3145 f	ft ft	Р	IPE RE		ED		26 ft		
9 5/8" steel 4 1/2" steel 4 1/2" steel	0 ft 0 ft 0 ft 3145 ft	26 ft 1021 f 3145 f 4540 f	ft ft	Р			ED		26 ft		
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement	0 ft 0 ft 0 ft 3145 ft 2311 ft	26 ft 1021 f 3145 f 4540 f 4500 f	n n	P			ED		26 ft 1021 ft		
9 5/8" steel 4 1/2" steel 4 1/2" steel	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft	26 ft 1021 f 3145 f 4540 f 4500 f 2311 f	ft ft ft ft ft	P			ED		26 ft 1021 ft	RECE	
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft	26 ft 1021 i 3145 i 4540 i 4500 f 2311 f	ft ft ft ft ft		314				26 ft 1021 ft 1395 ft	라트CE Ce of Oi	VED
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% get spacer class A cement Description of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft	26 ft 1021 ft	ft f	descrip	314			that the	26 ft 1021 ft 1395 ft Office	CE Of Oil	and Gas
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% get spacer class A cement Description of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft	26 ft 1021 ft	ft f	descrip	314			that the	26 ft 1021 ft 1395 ft Office	CE Of Oil	and Gas
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft	26 ft 1021 ft	ft f	descrip	314			that the	26 ft 1021 ft 1395 ft Office	PECE Ce of Oiling and filling	and Gas
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft of monument: 4 1/2* completed on the 15	26 ft 1021 ft	ft f	descrip	314		and		26 ft 1021 ft 1395 ft Office work of pluggi	CE Of Oiling and filling AN 22	gand Gas 2015
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft of monument: 4 1/2* completed on the 15	26 ft 1021 ft	ft f	descrip	314		and		26 ft 1021 ft 1395 ft Office work of pluggi	CE Of Oiling and filling AN 22	and Gas 2015 Ment of
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of said well was of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft f monument: 4 1/2" completed on the 15 deponents saith not.	26 ft 1021 1 3145 1 4540 ft 4500 ft 2311 ft x 4 ft steel month day of Au	nt n	descrip	314 tion 20_14.	5 ft	and		26 ft 1021 ft 1395 ft Office work of pluggi	CE Of Oiling and filling AN 22	gand Gas 2015
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of sald well was of And further of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft ompleted on the 15 deponents saith not.	26 ft 1021 1 3145 1 4540 ft 4500 ft 2311 ft x 4 ft steel month day of Au	nt n	descrip	314 tion 20_14.		and		26 ft 1021 ft 1395 ft Office work of pluggi	Departi	and Gas 2015 Ment of Protection
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of said well was of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft ompleted on the 15 deponents saith not.	26 ft 1021 1 3145 1 4540 ft 4500 ft 2311 ft x 4 ft steel month day of Au	nt n	descrip	314 tion 20 14	, 20_1	and 5		28 ft 1021 ft 1395 ft WEVERLAND	CE Of Oiling and filling AN 22	and Gas 2015 Ment of Protection
9 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer class A cement Description of said well was of And further of	0 ft 0 ft 0 ft 3145 ft 2311 ft 2211 ft 0 ft ompleted on the 15 deponents saith not.	26 ft 1021 1 3145 1 4540 ft 4500 ft 2311 ft x 4 ft steel month to day of Australia	nt n	descrip	314 tion 20 14	5 ft	and 5		28 ft 1021 ft 1395 ft 1395 ft PEVERIAL A. NOTABLE MARKET OF THE STATE OF THE STA	Departi	and Gas 2015 Ment of Protection

10453 PLUGGING AND ABANDONMENT Plugged 7/24-8/1/2014



FILL - 4548' - 4500' CEMENT - 4500' - 2311' 6% GEL - 2311' - 2211' CEMENT - 2211' - 0'


MONUMENT ERECTED 4-1/2" x 4' STEEL RECEIVED
Office of Oil and Gas

JAN & & 2015

AFFIDAVIT OF PLUGGING AND FILLING WELL

am name:	MCDOWell	Focationia										
OCATION:	Elevation:_	1668 feet	t		_ Qua	drangle	_ D	avy				
	District: _	Sandy Riv	er		Cou	inty:	Mo	Dowe	ell			
	Latitude: _	8450	Feet	South of	37	Deg	25	Min	00	Sec.		
	Longitude:	10,000	Feet	West of	81	Deg.	42			Se	c.	
/efi Type: C	DIL	GAS_X_	_									
Company	CNX Gas	S Compan	y LLC	Coal Or	erato	McDo	well Po	cahontas	Coal Cor	mpany		
-	627 Claypool	l Hill Mail Roa	nd	or Own		PO Bo				,		
,	Cedar Bluff, \	VA 24609				Tazev	ell, VA	24651				
Agent	Matthew I	mrich		Coal O		r						
rigem Permit Issue		06091	rel	or Own	er							
		DVVII	7									
TATE <u>OF 144</u>	FOT \#DO#**			A	FFIDA	VIT						
TATE OF WE		IA, ss:										
dilly of		33.										
Ja	son Riley	and		Russell N	lecessa	агу	bein	ng first d	luly swe	orn acco	rding to law	deno
d say that the	ey are experi	enced in the	work of	plugging a	ınd fillir	ng oil and	i gas w	relis and	were em	nployed b	rding to law	nam
d say that the	ey are experi and participa	ienced in the	work of pluors	plugging a Jgging an	ınd fillir d fillin	ng oil and g the abo	l gas w ove we	<i>r</i> elis and ii say ti	were em	nployed b I work w	y the above	name
d say that the	ey are experi	ienced in the	work of pluors	plugging a Jgging an	ınd fillir d fillin	ng oil and g the abo	l gas w ove we	<i>r</i> elis and ii say ti	were em	nployed b I work w	y the above	name
d say that the	ey are experi and participa day of	ienced in the ated in the wo	work of pluce of the control of the	plugging a ugging an and the	ind fillir d fillin well w	ng oil and g the abo as plugge	gas wove we	vells and vii say ti d filled i	were em	nployed b I work w owing m	y the above vas commen anner:	name
d say that the ell operator, a 7th	ey are experi and participa day of	ienced in the	work of pluors	plugging an and the	ind fillir d fillin well w	ng oil and g the abo	gas wove we	vells and vii say ti d filled i	were em	nployed by work wowing m	y the above	name
d say that the	ey are experi and participa day of FR(ienced in the ated in the wo	work of ork of plue, 20 <u>14, TC</u>	plugging an and the	ind fillir d fillin well w	ng oil and g the abo as plugge	gas wove we	vells and vii say ti d filled i	were em	nployed by work wowing m	y the above was commen anner: EFT	name
d say that the	ey are experi and participa day ofd FRG 0	ienced in the ated in the wouly OM ft	work of ork of plugger, 2014,	plugging an and the v	ind fillir d fillin well w	ng oil and g the abo as plugge	I gas work we we and and	vells and vii say ti d filled i	were em	nployed by work wowing m	y the above vas commen anner: EFT 29 ft	name
d say that the ell operator, a 7th TYPE 11 3/4" steel 8 5/8" steel 4 1/2" steel	ey are experiand participa day of	on the state of th	TC 29 ft 1393 1870 4310	plugging and the v	ind fillir d fillin well w	ng oil and g the abo as plugge	I gas work we we and and	vells and vii say ti d filled i	were em	nployed by work wowing man	y the above vas commen anner: EFT 29 ft	name
d say that the	ey are experi and participa day of FR(0 0 0 187 225	om the tree of the	TC 29 ft 1393 1870 4310 4260	plugging and the value of the v	ind fillir d fillin well w	ng oil and g the abo as plugge	I gas work we we and and	vells and vii say ti d filled i	were em	nployed by work wowing man	y the above vas commen anner: EFT 29 ft 393 ft	name
d say that the operator, a 7th TYPE 11 3/4" steel 8 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer	ey are experi and participa day of FR(0 0 0 187 225 215	om the sort of the	TC 29 ft 1393 1870 4260 2250	plugging and the s	ind fillir d fillin well w	ng oil and g the abo as plugge	I gas work we we and and	vells and vii say ti d filled i	were em	nployed by work wowing man	y the above vas commen anner: EFT 29 ft 393 ft	nam
d say that the	ey are experi and participa day of FR(0 0 0 187 225 215	om the tree of the	TC 29 ft 1393 1870 4310 4260	plugging and the s	ind fillir d fillin well w	ng oil and g the abo as plugge	I gas work we we and and	vells and vii say ti d filled i	were em	nployed by work wowing man	y the above vas commen anner: EFT 29 ft 393 ft	nam
d say that the ell operator, and a second operator oper	ey are experiand participa day of FROM 0 0 187 225 215 0 f monument:	om the world in th	TC 29 ft 1393 1870 4260 2250 steel mon	plugging and the tagging and tagging a	nd fillin d fillin well w	g oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said	nployed by work woowing management	y the above vas commen anner: EFT 29 ft 393 ft	nam
d say that the ell operator, a 7th TYPE 11 3/4" steel 8 5/8" steel 4 1/2" steel 4 1/2" steel class A cement 6% gel spacer	ey are experiand participa day of FROM 0 0 187 225 215 0 f monument:	om the world in th	TC 29 ft 1393 1870 4260 2250 steel mon	plugging and the tagging and tagging a	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said	a work of	y the above vas commen anner: EFT 29 ft 393 ft 440 ft	nam ced
d say that the ell operator, and a say that the ell operator and a say that the ell operator, and a say that the ell operator and a say that the ell	ey are experiand participa day of	om the world of the control of the c	TC 29 ft 1393 1870 4260 2250 steel mon	plugging and the tagging and tagging a	nd fillin d fillin well w F	eg oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said	a work of	y the above vas commen anner: EFT 29 ft 393 ft 440 ft	nam ced
d say that the ell operator, and a second operator oper	ey are experiand participa day of	om the world of the control of the c	TC 29 ft 1393 1870 4260 2250 steel mon	plugging and the tagging and tagging a	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said	a work of	y the above vas commen anner: EFT 29 ft 393 ft 440 ft	nam ced
d say that the ell operator, and a say that the ell operator and a say that the ell operator, and a say that the ell operator and a say that the ell	ey are experiand participa day of	om the world of the control of the c	TC 29 ft 1393 1870 4260 2250 steel mon	plugging and the s	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said	e work of	y the above vas commentanner: EFT 29 ft 393 ft 440 ft Follugging and RECEIVI	namiced filling
d say that the ell operator, a 7th TYPE 11 3/4* steel 8 5/8* steel 4 1/2* steel 4 1/2* steel 6 dass A cement 6% gel spacer class A cement Description of dwell was co	ey are experiand participa day of	ienced in the would be atted in the work by the	TC 29 ft 1393 1870 4260 2250 2150 steel monday of _Ju	plugging a and the and and the and	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	gas wove weed and	vells and	were emhat said	e work of	y the above vas commen anner: EFT 29 ft 393 ft 440 ft	namiced filling
d say that the ell operator, and a say that the ell operator and a say that the ell operator, and a say that the ell operator and a say that the ell	ey are experiand participa day of	ienced in the would be atted in the work by the	TC 29 ft 1393 1870 4260 2250 2150 steel monday of _Ju	plugging a and the and and the and	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	I gas work we we and and	vells and	were emhat said in the folio	e work of	y the above vas commentanner: EFT 29 ft 393 ft 440 ft Follogging and RECEIVI 3 Of Oil &	d filling
d say that the ell operator, and operator operato	ey are experiand participa day of	ienced in the would be atted in the work atted in the work atted in the work atted by a ten atted by a te	TC 29 ft 1393 1870 4260 2250 2150 steel monday of _Ju	plugging a and the and and the and	nd fillin d fillin well w F	g oil and g the abo as plugge PIPE RE	gas wove weed and	vells and	were emhat said in the folio	e work of	y the above vas commentanner: EFT 29 ft 393 ft 440 ft Follogging and RECEIVI 3 Of Oil &	d filling
d say that the ell operator, a 7th TYPE 11 3/4* steel 8 5/8* steel 4 1/2* steel 4 1/2* steel 6 dass A cement 6% gel spacer class A cement Description of dwell was co	ey are experiand participa day of	ienced in the would be atted in the work atted in the work atted in the work atted by a ten atted by a te	TC 29 ft 1393 1870 4260 2250 2150 steel monday of _Ju	plugging a and the and and the and	nd fillin d fillin well w F	otion 20 14 .	MOVE	vells and ill say the	were emhat said in the folio	e work of	y the above vas commentanner: EFT 29 ft 393 ft 440 ft Follogging and RECEIVI 3 Of Oil &	d filling
d say that the ell operator, and operator operato	ey are experiand participa day of	ienced in the world in the worl	TC 29 ft 1393 1870 4260 2150 steel mon day of Ju	plugging a and the and and the and	nd fillin d fillin well w F	otion 20 14 .	gas wove weed and	vells and ill say the	were emhat said in the following that the	e work of	y the above vas commentanner: EFT 29 ft 393 ft 440 ft Follogging and RECEIVI 3 Of Oil 8	d filling

10978 PLUGGING AND ABANDONMENT Plugged 7/7-16/2014



7/7-16/2014 Plugged API# 47-047-00407

FILL - 4335' - 4260' CEMENT - 4260' - 2250' 6% GEL - 2250' - 2150' CEMENT - 2150' - 0'

MONUMENT ERECTED 4-1/2" x 4' STEEL


RECEIVED Office of Oil and Gas

JAN 2 2 2015

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:_	Alawest	, Inc.			_Opera	tor We	ll No.:_	611	2			
LOCATION:	Elevation:	1125 fe	et			irangle	_	avy				
	District: _	Sandy R	iver		Cour	•		Dowe	ell			
	Latitude:	7.000		South of	_	•	27	_ Min	30	Sec.		
	Longitude:			West of						Sec.		
						_						
Well Type: C	OIL	GAS X										
Company	CNX Gas	s Compa	ny LLC	Coal O	nerator	Alaw	est. Inc.					
	627 Claypoo			or Own	-		ox 920					
	Cedar Bluff,	VA 24609		- -			, WV 2	4801				
Agant	Matthew I	lmrich			perator	·						
Agent Permit Issue			914	or Own	E			· · · · · · · · · · · · · · · · · · ·				
_				-								
STATE OF W	EST VIRGIN	IΔ		A	\FFIDA'	VIT						
County of Merce		SS:										
.is	ason Riley			Russell	Necess	rv	h -!-		d.d			
		and in the control of the contr								orn according to mployed by the a		
well operator,	and participa	ated in the	work of pl	lugging a	nd filling	the ab	ove we	ll say t	hat sai	d work was con		
the <u>16th</u>	day of	July	, 20 <u>14</u>	, and the	well wa	is plugg	ed and	i filled i	in the fol	lowing manner:		
TYPE	FR	ROM	T	0	Р	IPE RE	MOVE	ΞD	1	LEFT		}
9 5/8" steel) ft	165							165 ft		
7" steel) ft	708	ft						708 ft		
4 1/2" steel) ft	1450			14	50 ft		 			
4 1/2" steel		50 ft	3747							2297 ft	RECEIV	ED
class A cement 6% gel spacer		82 ft 82 ft	3660 1882						+	Office	of Oil	and Gas
supertropic cemen) ft	178				•		+			
	<u> </u>										JAN 22	
Description of								- And	d that th	e work of pluggi		_
said well was c	ompieteo on	uie <u></u>	_ uay o:	ouly	1	20 <u>14</u> .		1	B	WV	Departi	ment of
And further of	deponents sa	aith not.	Jane	~ 7)		_/	Com	VOTAL TANKE	mental	Protection
			Ruse	u-no	<i></i>			LMYC	Ommin F	WV EVERICATIVE NOTATIVE PUBLIC non-wealth of Virging. #7502381 on Expires June 3		7
			11/11	- 10				_ ` ~_	105	Or Expires June	nie /	
Sworn and s	subscribe bet	fore me thi	s 14+00 d	ay of	bnuo	12	_ 20_	<u>5</u>	. 1	J Sune 3	30. 2015	
My commission	expires: (0/30/1	5			K	.m.	HI	lehs	/		
	· • • • • • • • • • • • • • • • • • • •	-1-211					Notary F	Public				
Afficiant	ad butter Of	fier of O''	and C	V1	. K.	لاء	1		47 741 _	T	~	
Affidavit review	ed by the Of	rice of Ull a	and Gas: _	- 	3 rec	nec	7		Title:	inspecso	<u></u>	
							-					

6112 PLUGGING AND ABANDONMENT Plugged 7/16-23/2014



FILL - 3758' - 3660' CEMENT - 3660' - 1882' 6% GEL - 1882' - 1782' CEMENT - 1782' - 0'


MONUMENT ERECTED 4-1/2" x 4' STEEL RECEIVED
Office of Oil and Gas

JAN 2 2 2015

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Alawest	, Inc.			_Operat	tor Well	No.:	3781					
LOCATION:	Elevation	. 2345 fee	et			lrangle:	_						
LOOATION.		Big Cree			_	•		Dowe					
					Cour	•	****			-			
		9,525		South of						Sec.			
	Longitude	e: <u>11,930</u>	Feet	West of	81	_Deg.	35	Min.	00	Sec.			
Well Type: (OIL	_GAS_X											
Company	CNX Ga	as Compa	ny LLC	Coal O	perator	Alawe	st, Inc.						
	627 Claypo	ool Hill Mall R	oad	or Own	er	PO Bo	x 920						
	Cedar Bluff	f, VA 24609				-	WV 24	801					
	Matthan	. Imamiah			perator								
Agent	Matthew		/	or Own	er								
Permit Issue	ed Date	080	14										
				٨	FFIDA	VIT							
STATE OF W		•	•										
County of Merc	er	_ ss:											
Já	ason Riley	and)	Russell	Necessa	ry	bein	g first	duly sw	orn according to	o law depos	е	
							gas w	ells and	d were e	mployed by the a	above name	d	
OCAL										d work was con	nmenced o	n	
the 25th	day of _	August	, 20 <u>14</u> ,	, and the	well wa	s plugge	ea ana	Tillea	in the to	llowing manner:			
TYPE	F	ROM	TC	5	Р	IPE RE	MOVE	D	1	LEFT			
9 5/8° steel		0 ft	550	ft						550 ft			
7" steel		O ft	1350	A						1350 ft			
4 1/2" steel		Oft	1400	ft		140	0 ft						
4 1/2" steel		1400 ft	5265							3865 ft			
class A cement		3150 ft	5240										
6% gel spacer		3050 ft	3150						+				
class A cement		Oft	3050	п								ECEIVE	
Description of	of monume	nt: 4 1/2" x 4			h descrip	tion		an	d that th	e work of pluggi	ing Cafdi filling	pf Oli ar	ାଠ ଭିଷ୍ଟ
said well was o	completed o	on the 8th	_ day of _ S	eptember		20 <u>14</u> .							
A mal & mile a.e.	d		Com	_ 7	26	_			-	REI	۵رل	N 2 % 20	15
And further	deponents :	saith not.)		- /	,	NOTATIVA.			
			Jusse	M nec	corr	1		_	Muss	Da Arramound	BUZWANTO	epartme	ent of
			KITh	_			13	_	Con	BEVERLY A. NOTARY PURPLE MARCHINE Reg. #75023 Imigsion Expire	WARED IN	iental Pr	otectic
Sworn and s	subscribe b	efore me thi	s <u>17 0</u> da	ay of	XInuq	<u>S</u>	, 20 1) ,	11	Dires	lune 30		
My commission	n expires: <u>(</u>	Ce 30 1	5			Dr.	Stap F	Public	h	NOTARY PU Commonwealth & Reg. #75023 Imission Expires	30. 2015	<u>:</u>	
				W	ν		/			7 1			
Affidavit review	ed by the C	Office of Oil a	and Gas: _	·Kling	Kan	nel	Ψ		_ Title:	Inspector			
				• 0			U			•			

6781 PLUGGING AND ABANDONMENT Plugged 8/25-9/8/2014



6781 PTA Plugged 8/25-9/8/2014 API# 47-047-0197				
	6781 PTA	Plugged	8/25-9/8/2014	API# 47-047-01975

FILL - 5265' - 5240'
CEMENT - 5240' - 3150'
6% GEL - 3150' - 3050'
CEMENT - 3050' - 0'

MONUMENT ERECTED 4-1/2" x 4' STEEL RECEIVED
Office of Oil and Gas

JAN 2 2 2015

FORM WR-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA **DEPARTMENT OF ENERGY** OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective

CONSOLIDATION COAL CO. – CHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
CONSOLIDATION COAL CO. – OHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

Address

BRIAN K. MILLIKEN

Lease or Property Owner
3732 WICKHAM CIRCLE NW, UNIONTOWN, OH 44685

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Name of Well Operator

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address
MAJORSVILLE, WV 7.5'

Well Location

WEBSTER

District

MARSHALL

County

SGW-107 Well No.

ELDER, MAY Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA. County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31st day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 3 3/8" hole thro	ugh 4 1/2" casing from Surface to 1945'. Cut 4	16" Conductor	0,	16'
1350'. Perforated 4 1/2" of	g depths: 1750', 1648', 1550', 1450', and casing with 6 shots at the following depths:	10 ¾" Casing	0,	753'
bottom hole plug from 19	9', 1297', 1197', and 1097'. Cemented 945' to 939' with 70 sacks of Expandable	8 5/8" Casing	840'	445'
depths: 940', 890' and 8	" and 8 5/8" and 10 ¾" casing at the following 340'. Removed 840' of 4 ½" casing from	7" Casing	840'	960'
Removed 840' of 8 5/8"	ed 840' of 7" casing from Surface to 840'. casing from Surface to 840'. Left 753' of 10	4 1/2"	840'	1016'
bonded and was cut at to 734', 732', 683', and 633	m 14' to 767'. Remaining 10 ¾" casing was the following depths: 742', 740', 738', 736', 1'. Left 10 ¾" casing through the Pittsburgh 739'. Left 1016' of 4 ½" casing in the hole	,	RECEIVED	
from 840' to 1586'. Left	960' of 7" casing in the hole from 840' to " casing in the hole from 840' to 1285'. Left	Office	of Oil and Ga	s
	ing in the hole from Surface to 16'.	J ./	N 2 6 2015	
Cemented hole from to Surface as follows:	p of bottom hole plug at 939' back to the	W\ Enviro	Department nmental Prote	of Cation
From 939' to 632' with 1: dye. From 632' back to to Cement. Cement did circ	30 sacks of Thixotropic Cement with green the Surface with 225 sacks of Expandable sulate at the surface.			
Coal Seams		Description of Monumen	t t	
Pittsburgh Coal	732' to 739'	77" of 7" casing w/ compa	ny name, well	number
(Name)		permit number and date ce	emented stated	on 7"
(Name)		casing .Well marker attach		
(Name)		plug at ground level.		

the work of plugging and filling said well was completed on the 20th day of November, 2014

And further deponents saith not.

day of January 2015

Mark Wilson

Sworn to and subscribed before me this \mathcal{ZZ}

My commission expires: 11/4/23

Permit No. <u>47-051-00193-P</u> Vell No. <u>SGW-107</u>

FORM WR-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA **DEPARTMENT OF ENERGY** OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner 6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

JACK AND ELIZABETH CAIN

Lease or Property Owner RR 4 BOX 251, CAMERON, WV 26033

Address

CONSOLIDATION COAL CO. – OHIO VALLEY OPERATIONS

Name of Well Operator

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address

MAJORSVILLE. WV 7.5'

Well Location WEBSTER

District MARSHALL

County

SGW-98

Well No. **CAIN, JACK & ELIZABETH**

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1st day of December, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
romation		12 2/9" Conductor		4001
Cleaned 6 1/4" hole from	Surface to 1906'. Left 1892' of 7" casing in	13 3/8" Conductor	0,	132'
depths: 1797', 1689', 18	6'. Cut remaining 7" casing at the following 590', 1489', 1390', 1289', 1190', 1078', 1014',	10 ¾" Casing	0,	807'
1015' with 140 sacks of casing in the hole from 5 following depths: 817', 10 3/2" casing at the follo through the Pittsburgh C	4'. Cemented bottom hole plug from 1906' to Expandable Cement. Left 807' of 10 ¾" Surface to 807'. Jet cut 7" casing at the 315', 813', 811', and 809'. Jet cut 7" and wing depths: 807', 759' and 709'. Jet cut coal seam from 809' to 815'. Left 132' of 13 the hole from Surface to 132'.	7" Casing	0,	1892'
Computed halo from to	m of hottom halo when at 40451 has been do		CEIVED	
Surface as follows:	p of bottom hole plug at 1015' back to the	Office o	f Oil and Gas	
			0.0045	
From 1015' to 709' with	110 sacks of Thixotropic Cement with green	JAN	2 6 2015	
Cement. Cement did cire	the Surface with 90 sacks of Expandable			
Jement. Jement did on	suitate at the surface.	WV D	epartment of ental Protection	n
Coal Seams		Description of Monumen	<u> </u>	<u> </u>
Pittsburgh Coal	809' to 815'	77" of 7" casing w/ compa		number
(Name)		permit number and date ce		
(Name)		casing .Well marker attach		
(Name)		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 12th day of December, 2014

And further deponents saith not.

Mark Wilson

Sworn to and subscribed before me this \sim

day of January 2014

My commission expires: 1/4/23

Permit No. <u>47-051-00450-P</u> **₩**ell No. <u>SGW-98</u>

State Of W ملاد

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	NEW RI	VER LAND)		Operator Well	No.: NEW RIV	ER AR-4		į
LOCATION:	Elevation	2322			_ Quadrangle:	BECKLEY 7.5	5		; ;
		TOWN				RALEIGH			:
	Latitude:		Feet S	South of	Deg	Min	Sec.		:
	Longitude	e:	Feet	West of	Deg.	Min	Sec.		;
Mall Type:		_GAS_X							:
• •				a 10				חבטבוו	VED
Company		RESOURC	<u> </u>	or Own	perator			- HEUEI	AFD.
	PO BOX 8	VOOD, WV 261	<u></u>	or Own	<u></u>		0	rice ot Oil	and Gas
	RAVENSV	VOOD, VVV 26	.04	Coal O	nemtor				
Agent	DIANA	STAMPLEF	t	or Own					2015
	ued Date								
								VV Depart	
	 			F	AFFIDAVIT		Envi	ronmenta	Protection
STATE OF \									
County of RO	ZANC.								
TERRY REX	ROAD	and	GARY REX	ROAD_		being first duly	sworn according to	law depose	•
and sou that	they are evi	perienced in the	e work of	plugging	and filling oil an	d gas wells and we	re employed by the	above named	
wall operato	or and partic	cipated in the	work of pl	ugging a	and filling the at	sove well say that	Said Work Was Co	illisenced on	:
the 23	day of	OCTOBER	, 20 <u>14</u>	, and the	e well was plug	ged and filled in th	e following manner:		
		T			DIDE B	EMOVED	LEFT		
TYPE		FROM	<u>T</u>			EMOVED	LEFT 464'		
CEMENT		1390	95		950	OF 4 1/2	EE, 1 404		
GEL		956	92						
CEMENT		920	75		 				
GEL		756	49		 				
CEMENT		490 225	14		 				
GEL		140	SURF						
CEMENT					<u> </u>				
Description	on of monum	ent: 7' CASING	3 WITH AP	NUMBER	R WELDED ON	and th	nat the work of plugg	ging and filling	
said well wa	s completed	on the 27	day of C	CTOBER	, 20 <u>14</u>				AND THE PERSON NAMED IN
			_ ~~, ~	-	20	- *	THE RESIDENCE OF THE PERSON NAMED IN	OFFICE	M CEAN D
			_ uu, u مبر		20 <u></u>	.	THE STATE OF THE S	OFFICI MOTAR	V 된 IBLIC B
	er deponen		1	1/	26			NOTAR A STATE OF A	YPUBLIC TEST VIRGINIA
			14	1	1118	noad		NOTAR A STATE CE A A AMENA A	Y PUBLIC TEST VIRGINIA LECTRICALIN
			1	THOM	W.R.	wood		NOTAR STATE CE IA SCALONA IA SCALONA IA	Y PUBLIC EST VIRGINIA EST VIRGINIA ESTECKLIN E
And furth	er deponen	ts saith not.	1	TH	W.R.	<u>noad</u>		NOTAR STATE CE IA SCALONA IA SCALONA IA	Y PUBLIC BST VIRGINIA BY BUILD BY BUILD
And furth	er deponen		1	day of _	W.R.	1000d		MOTAR STATE CE IA SALLEMA IA SPELIET, WOZ My Commission E	Y PUBLIC TEST VIRGINIA TEST VI
And furth	er deponen	ts saith not.	1	TH	W.R.s	1000 d 120 14 Whit (5)	(ucteur	STATE CE MA STATE CE MA SALEMA K SVELOS SPERIORI, WICE My Commission E	YPUBLIC TEST VIRGINIA SCHOOKLIN LOS RUN LOS RUN LOS RUN LOS RUN EX VIrginia 25270 EXPRES Mon. 15, 2019 EXPRES Mon. 15, 2019
And furth	er deponen	ts saith not.	1	TH	W.R.s	Notary Public	tuctur	STATE CE MA STATE CE MA SALEMA K SVELOS SPERIORI, WICE My Commission E	Y PUBLIC TEST VIRGINIA TEST VI
And furth Sworn at	er deponent and subscribe sion expires	ts saith not.	# is 27 119	TH	W.R.	1000 d 120 14 Whit (5)	Title: INSPORT	STATE CE MA SCALLAGA K SPECIOTA NO SPECIOTA NO My Committation E RE Office C	YPUBLIC TEST VIRGINIA SCHOOKLIN LOS RUN LOS RUN LOS RUN LOS RUN EX VIrginia 25270 EXPRES Mon. 15, 2019 EXPRES Mon. 15, 2019

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	NEW R	VER COM	PANY	<u>, </u>	_Operator Wel	_{I No.:} NEW RI\	VER AR-9			
LOCATION:	Elevation:	2356			Quadrangle:	BECKLEY 7.	5			
·		TOWN			County:	RALEIGH				
	`				-	Min	Sec.			
						Min				
Well Type: (OIL	GAS X	_							
Company	EXCO F	RESOURCE	ES	Coal O	perator			RECEI	VFD	
	PO BOX 8			er Own	• —		Offic		and Gas	
	RAVENSW	OOD, WV 2616	4	-					and Gas	,
Agent	DIANA S	STAMPLER		Coal O	perator			JAN 0-E	2015	
Permit Issu		09/19/2014		_ 01 0 1111						
				-		.	₩,	v Depa r	tment of	
				A	FFIDAVIT		€nviro	nmente	d Protecti	on
STATE OF W County of ROA		NIA, _ ss:			•					
TERRY REXR	OAD	and G	ARY RE	XROAD		being first duly	sworn according	to law depo	ose	
						d gas wells and we				
						ove well say that			on	
the	day or _	OOTOBLIK	, 20 <u>14</u>	, and the	well was plugg	ed and filled in th	te following manne	ır;		
TYPE	F	ROM	Ť	o l	PIPE RE	MOVED	LEFT		7	
CEMENT		1391	89	ю		F 4 1/2	LEFT 543]	•
GEL		890	87	6	•]	
CEMENT		876	70	10]	
GEL		700	50	0					1	
CEMENT		500	32	25					_	
GEL		325	23		··				4	
CEMENT		231	SURF	ACE					لـ	
Description	of monume	nt: 7' CASING	NITH AP	NUMBER	WELDED ON	and th	at the work of plug	nging and filli	ng .	
said well was		on the 31	day of O	CTOBER	, 20 14 .		at the treat of piag	,5,,,,,,	··•3	
	•				7 ~	**	ACCORDINATION AND A STATE OF THE STATE OF TH	AND CONTRACTOR	****	7 9
And further	deponents	saith not.	-	11	10	{		OFFICIAL MOTORY S		č.
			1/2	3/h)	K.	الأكرسم	C Market	Marie Comp		Ş
				ag v	3	were all		AN CONTRACTOR	COULIN CO	ž,
Sworn and	subscribe b	efore me this	31	day of	1104	.2014	Ser Service Ser	moer, Wast Vic	phile 25273	3
		21,0-11:	7	•		de X	Language Say Con	aniogian Ship	ECELVEY	Š
My commission	یn expires: د	211711	<u></u>	(Juni	war 18 XI	Millen	Office	of Oil and	Gas
						Notary Public			J. O. a. a.	,
Affidavit revie	wed by the C	Office of Oil an	d Gas:	- }/	y Koured	7	Title: Inspect	<u> ال</u>	N 2 2 2015	j
				7	- 1	u	-			

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	MOUNTA	AIN LAURE	L RESO	URCES	Operator \	Veil I	No.: NEW	RIVE	R 22-A	R_				
LOCATION:	Elevation	2323			Quadrani	ale.	BECKLE	Y 7.5						
	District:	TOWN			County	J. V.	RALEIGI	H		_				
			Feet :	South of	Dea	-	Min		Soc					
		e:								C.				
Well Type: (OIL	_GAS_X								DI		IV/PD		
Camana	EYCO	RESOURC										IVED	0	
Company	PO BOX 8	LSOURC		Coal Op	•					Jilice (or OI	l and (Jas	
		OOD, WV 261	164	or Own	· —					- TA	N A	5 2015		
				Coal O	perator					J	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2013		
Agent		TAMPLER	<u> </u>	or Owne					,	WV D	Anai	- ctment	of	
Permit Issue	ed Date	09/19/201	4						_En	/irong	ants	al Prote	oi ection	
				ΔΙ	FFIDAVIT					,,,	OTTE	21 1 101	300011	
STATE OF W		•		-	FFIDATI									
TERRY REXRO	240		0 4 DV DEV	2010										
and say that th	AV are even	and_	GARY REX	ROAD			_being_first	duly sw	rom accor	rding to I	aw dep	ose		
well operator, the 27	and particip	pated in the v	vork of plu	igging an	d filling the	abov	e well sav t	that said	d work w	as comm	nenced	on		
TYPE	Fi	ROM	TC		PIPE	REM	IOVED	\top	LI	EFT		٦		
CEMENT		1403	700		96) OF 4	1/2		LEF	T 543°				
GEL		700	504				-					_		
CEMENT GEL		325	325 269									4		
CEMENT		269	SURFA	CE								-		
GEL				-				 				\dashv		
CEMENT														
Description of said well was c		nt: 7' CASING			VELDED ON		an	d that the	e work of	OF	and fill FICIAL S		****	
And further			36	THE SULTON	Res	'n	oad			SAMDA 37 Spencor, V	A FL C'II A Lowe I Nest Vig	TVIRGINIA RICKLIN Run ginia 25279 Is Mor. 15, 2		
Sworn and s	subscribe be	efore me this	24 da	y of	+	2	29.14		necessia. Pert	gagagarana an an '	erent en	Marie Control of the	alaist eul	
My commission	expires:	3/15/1	4	4	Xu	1/1/2/ Not	ary Public	ZM	Alb	1	Offic	RECI ce of C	EIVED Dil and	
Affidavit review	ed by the O	ffice of Oil ar	nd Gas:	¥y	Kenney	ly.		Title:	Insp	ector	· ·	JAN 2	2 2015	j

WR-38 Rev (5-08) Page 1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE: January 21st, 2015 API #: 47-097-03790P

Lease No: 63848, 210294,

Created: (11/17/2014)

210295, 210296

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION	: Elevation:	2460.74'	·	Operator Well No.: ALT	
	District:	Washington		Quadrangle: Alton	
				County: Upsh	ur
	Latitude:	1,578			30 Sec.
Well Type: (Longitude OIL	GAS	Feet West of:	80 Deg. <u>10 Min.</u>	<u>00</u> Sec.
Company:	CNX Gas Co	ompany LLC		Coal Operator	
•	P.O. Box 124	48		•	e List on Page 2
	Jane Lew, W	VV 26378			
Agent:	Mat	t Imrich			
Permit Issued		6/2013			
			 _	ID A V/I'm	
STATE OF W	EST VIRGI	VIA.	AFF.	IDAVIT	·
County ofI	<u>ewis</u>		ss:		
Richard C. Jos	168	and			
		and i	VIIKE F rederick	being first duly sw	orn according to law depose vere employed by the above named
all anamatan a			- or brodeing and	ing the above well say that sa	vere employed by the above named
10 uay 01	<u> Iviarch</u>	, 2014 and	i the well was nice	goed and filled in the fallowing	
			T	gged and filled in the following	ng manner:
TYPE		FROM	то	PIPE REMOVED	LEFT
TYPE " L.S. 81.3#		FROM	TO Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface
TYPE" L.S. 81.3# 3/8" J-55 54.5#		FROM	TO Surface Surface	PIPE REMOVED None None	LEFT 40' Cemented to Surface 657' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' .	TO Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' . 657' 2044'	TO Surface Surface Surface	PIPE REMOVED None None	LEFT 40' Cemented to Surface 657' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' 657' 2044' 5528'	TO Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' 657' 2044' 5528'	TO Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' 657' 2044' 5528'	TO Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' 657' 2044' 5528'	TO Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23#		FROM 40' 657' 2044' 5528'	TO Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug		FROM 40' 657' 2044' 5528' 4517'	TO Surface Surface Surface Surface Surface	PIPE REMOVED None None None	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip	tion of monu	FROM 40' 657' 2044' 5528' 4517' ment: <u>Installed</u>	TO Surface Surface Surface Surface Surface proper monumer	PIPE REMOVED None None None None At w/API # 47-097-03790.	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip	tion of monu	FROM 40' 657' 2044' 5528' 4517' ment: <u>Installed</u>	TO Surface Surface Surface Surface Surface proper monumer	PIPE REMOVED None None None None At w/API # 47-097-03790.	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip and that Fick VOTARY	tion of monus	FROM 40' 657' 2044' 5528' 4517' ment: Installed ng and filling sa	Surface Surface Surface Surface Surface Surface Surface	PIPE REMOVED None None None None At w/API # 47-097-03790.	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received Office of Oil 8 JAN 2 2 201
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip and that FECH VOTNOTAR State of W Cindy L	tion of monunce of Public Publ	FROM 40' 657' 2044' 5528' 4517' ment: <u>Installed</u> ng and filling sa	Surface Surface Surface Surface Surface Surface Surface	PIPE REMOVED None None None None At w/API # 47-097-03790.	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received Office of Oil 8 JAN 2 2 201
TYPE " L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip and that the control of the control	tion of monus AK SEPARES PUBLIC Sest Virginia K454A WV 26408	FROM 40' 657' 2044' 5528' 4517' ment: Installed ing and filling saler deponents said	Surface Surface Surface Surface Surface Surface Surface With not.	PIPE REMOVED None None None None None At w/API # 47-097-03790. leted on the 7th day of Marketing Action Colors Action	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received Office of Oil 8 JAN 2 2 201
Descrip Type L.S. 81.3# 3/8" J-55 54.5# /8" J-55 36# N-80 23# ment Plug Descrip And that be a control of the control o	tion of monus AL SERVICE PUBLIC Sest Virginia KOVICE KOVICE WY 26408 WW 26408 WW 26408	FROM 40' 657' 2044' 5528' 4517' ment: Installed ing and filling saler deponents said	Surface Surface Surface Surface Surface Surface Surface	PIPE REMOVED None None None None None At w/API # 47-097-03790. leted on the 7th day of Marketing Action Colors Action	LEFT 40' Cemented to Surface 657' Cemented to Surface 2044' Cemented to Surface 5528' Cemented to Surface Received Office of Oil 8 JAN 2 2 201 Jan 2 2014 Jan 2 2014

WR-38 Rev (5-08)

Page 2

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE: January 21 7, 2 API #: 47-097-03790P

Lease No: 63848, 210294, 210295, 210296

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name:

WOODY, D.J., ET AL

Operator Well No.: ALT8AHS Plugging

COAL OPERATOR or OWNER

Coal Operato	r Dustin B. O'Dell	Coal Operator	Gary L. O'Dell
or Owner	329 Hawthorne Drive	or Owner	604 Hall Street
	Charleston, WV 25302		Charleston, WV 25302
Coal Operato	r Linda Gail McMillen	Coal Operator	Marvin W. Culpepper
or Owner	504 Kanawha Blvd	or Owner	616 Stonewall Drive
	Charleston, WV 25302		Charleston, WV 25302

Created: (11/17/2014)

Permit Issued Date: 10/16/2013



WR-38 Rev (5-08) Page 1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Lease No: 63848, 210294,

Created: (11/18/2014)

210295, 210296

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: Elevation:		2460.74'		Quadrangle: Alton 7.5'				
District:		Washington		_	County: U			
	Latitude:	1,564	Feet South of:	- .	· · —		0	
	Longitude							
Well Type:	_	GAS	Feet West of: _	ou Deg	<u>IU</u> Min.	_00_	Sec.	
Company:	CNX Gas Co	ompany LLC		Coal Oper	ator			
	P.O. Box 12	48		or Owner		See Lis	st on Page 2	
	Jane Lew, W	VV 26378						
Agent:	Mat	t Imrich						
Permit Issue	d Date: 10/1	6/2013						
			AFFI	IDAVIT				
	WEST VIRGI	NIA,						
County of _	Lewis		ss:					
Richard C. Jo	nes	and I	Mike Frederick	bei	ng first duly	v sworn :	according to law depose	
and say that th	ev are experie	nced in the work	of plugging and	filling oil and	asc wells o	nd were	employed by the above na	
well operator	and narticinat	ed in the work	Fuluacina and CII	ing the share	gas wells al	iia were	employed by the above na	
wen operator,	and participat	ed in the work of	plugging and fill	ing the above	well say tha	at said w	ork was commenced on	
me <u>lotn</u> day	of <u>March</u>	_ , <u>2014</u> , and	the well was plug	gged and filled	in the follo	owing m	nanner:	
TYP		_ , <u>2014</u> , and FROM	the well was plug	 -	REMOVE			
TYP 0" L.S. 81.3#	E		T	 -			LEFT 40' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.3	E	FROM 40' 660'	то	PIPE			LEFT	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36#	E	FROM 40' 660' 2001'	TO Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.3	E	FROM 40' 660' 2001'	TO Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23#	E	FROM 40' 660' 2001' 5533'	TO Surface Surface Surface Surface	PIPE None None			LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface Received Office of Oil 8	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23# Cement Plug	PE 54	FROM 40' 660' 2001' 5533' 5433'	TO Surface Surface Surface Surface Surface	PIPE None None None	REMOVE	ED .	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface Received	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23# Sement Plug	e iption of mon	FROM 40' 660' 2001' 5533' 5433'	TO Surface Surface Surface Surface Surface proper monume	PIPE None None None None none	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of Colors JAN 2 2 201	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23# Sement Plug Descr	iption of mon	FROM 40' 660' 2001' 5533' 5433'	TO Surface Surface Surface Surface Surface	PIPE None None None None none	7-097-0379	ED .	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of Colors JAN 2 2 201	
TYP 0" L.S. 81.3# 3 3/8" J-55 54.5 5/8" J-55 36# " N-80 23# Cement Plug Description and the present NOTA	e iption of mon	FROM 40' 660' 2001' 5533' 5433' ument: Installed ing and filling sa	TO Surface Surface Surface Surface Surface proper monume	PIPE None None None None none	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of City & Company of City & Company of City & Company of City & Company of City & Cit	
Description of the property of	iption of mon Otal Sigalog RY PUBLIC West Virgini y L. Kondourth	FROM 40' 660' 2001' 5533' 5433' ument: Installed ing and filling sa	Surface Surface Surface Surface Surface Surface Surface	PIPE None None None None none	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of City & Company of City & Company of City & Company of City & Company of City & Cit	
Description of the property of	iption of mone Characteristics West Virgini L. Kondourth Box 454A	FROM 40' 660' 2001' 5533' 5433' sument: Installed ring and filling same deponents sainer	Surface Surface Surface Surface Surface Surface Surface surface	None None None None None None None	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of City & Company of City & Company of City & Company of City & Company of City & Cit	
Description of the property of	iption of mone Characteristics West Virgini L. Kondourth Box 454A	FROM 40' 660' 2001' 5533' 5433' sument: Installed ring and filling same deponents sainer	Surface Surface Surface Surface Surface Surface Surface surface	None None None None None None None	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of City & Company of City & Company of City & Company of City & Company of City & Cit	
Description of the property of	iption of mon Otak SiFAlge RY PUBLIC West Virgini L. Kondourth Box 454A re WV 26408 eptember 26, 2	FROM 40' 660' 2001' 5533' 5433' sument: Installed ring and filling same and filling same are deponents said to the said to the same are deponents said to	Surface Surface Surface Surface Surface Surface Surface	None None None None None None None	7-097-0379	€D	LEFT 40' Cemented to Surface 660' Cemented to Surface 2001' Cemented to Surface 5533' Cemented to Surface State of City & Company of City & Company of City & Company of City & Company of City & Cit	

WR-38 Rev (5-08)

Page 2

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE: January 215+, 2015

Lease No: 63848, 210294,

210295, 210296

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name: WOODY, D.J., ET AL

Operator Well No.: ALT8BHS Plugging

COAL OPERATOR or OWNER

Coal Operato	Dustin B. O'Dell	Coal Operator	Gary L. O'Dell
or Owner	329 Hawthorne Drive	or Owner	604 Hall Street
	Charleston, WV 25302		Charleston, WV 25302
Coal Operato	r Linda Gail McMillen	Coal Operator	Marvin W. Culpepper
or Owner	504 Kanawha Blvd	or Owner	616 Stonewall Drive
	Charleston, WV 25302		Charleston, WV 25302

Created: (11/18/2014)
Permit Issued Date: 10/16/2013



WR-38 Rev (5-08) Page 1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE January 21St, 2015 API #: 47-097-03795P

Lease No: 63848, 210294, 210295, 210296

Created: (11/18/2014)

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: Ele	evation: 2460.74'		Quadrangle: Alton 7	1.51
D	District: Washington		County: Upshur	
L	atitude: 1,551	Feet South of		
	ongitude: 1,595			Sec.
Well Type: OIL	GAS	X	<u>80</u> Deg. <u>10</u> Min. <u>00</u>	Sec.
Company: CNX	Gas Company LLC		Coal Operator	
P.O.	Box 1248			List on Page 2
Jane	Lew, WV 26378			
Agent:	Matt Imrich		-	
Permit Issued Date			20	
		AFI	FIDAVIT	
STATE OF WEST	VIRGINIA,	741	IDAVII	
County of Lewi	S	SS		
Richard C. Jones	and 1	Mike Frederick	being first duly swor	
and say that they are	evnerienced in the work	of plugging and	being first duty swor	rn according to law depose
and that they are	experienced in the work	or prugging and	filling oil and gas wells and we	re employed by the above name
well operator, and pa	articipated in the work of	f plugging and fi	lling the above well say that said	work was dommand
the 124h day of B			ming the above well say that said	work was commenced on
the 13th day of N	Jorch 2014 one	1 41 1	1 1 711 11 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	<u> </u>	i the well was pi	ugged and filled in the following	manner:
TYPE	FROM	то	PIPE REMOVED	LEFT
TYPE 20" L.S. 81.3#		TO Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM	то	PIPE REMOVED	LEFT 40' Cemented to Surface 690' Cemented to Surface
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690'	TO Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug	FROM 40' 690' 590'	TO Surface Surface Surface	PIPE REMOVED None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive
TYPE 20" L.S. 81.3# 23 3/8" J-55 54.5# Cement Plug Cement Plug	FROM 40' 690' 590' 4500'	TO Surface Surface Surface 590'	PIPE REMOVED None None	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive
TYPE 20" L.S. 81.3# 13 3/8" J-55 54.5# Cement Plug Cement Plug Description	FROM 40' 690' 590' 4500' of monument: <u>Installed</u>	TO Surface Surface Surface 590'	PIPE REMOVED None None ent w/ API # 47-097-03795.	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive
TYPE 20" L.S. 81.3# 13 3/8" J-55 54.5# Cement Plug Cement Plug Description	FROM 40' 690' 590' 4500' of monument: <u>Installed</u>	TO Surface Surface Surface 590'	PIPE REMOVED None None ent w/ API # 47-097-03795.	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive Office of Oil JAN 2 2 20
TYPE 20" L.S. 81.3# 13 3/8" J-55 54.5# Cement Plug Cement Plug Description and that the work in the corrections and the corrections are corrected to the corrections and the corrections are corrected to the corrections are corrected to the corrections and the corrections are corrected to the corr	of monument: Installed	TO Surface Surface Surface 590'	PIPE REMOVED None None ent w/ API # 47-097-03795.	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive
TYPE 20" L.S. 81.3# 13 3/8" J-55 54.5# Cement Plug Cement Plug Description and that the work in the NOTKOTARY PL	of monument: Installed	Surface Surface Surface Surface 590'	PIPE REMOVED None None ent w/ API # 47-097-03795.	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive Office of Oil JAN 2 2 20
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug Cement Plug Description and that the work of NOT KOTARY PL State of West	of monument: Installed of plugging and filling sa	Surface Surface Surface Surface 590'	PIPE REMOVED None None ent w/ API # 47-097-03795.	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive Office of Oil JAN 2 2 20
TYPE 20" L.S. 81.3# 3 3/8" J-55 54.5# Cement Plug Cement Plug Description and that the work NOTKICTARY PL State of West Cindy L. Ko	of monument: Installed of plugging and filling sa	Surface Surface Surface Surface 590' proper monum aid well was com	PIPE REMOVED None None ent w/ API # 47-097-03795. spleted on the 13th day of Management Managem	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive Office of Oil JAN 2 2 20
TYPE 20" L.S. 81.3# 13 3/8" J-55 54.5# Cement Plug Cement Plug Description and that the work NOT NOTARY PL State of West Cind L. Ko	of monument: Installed of plugging and filling sa	Surface Surface Surface Surface 590' proper monum aid well was com	PIPE REMOVED None None ent w/ API # 47-097-03795. spleted on the 13th day of Management Managem	LEFT 40' Cemented to Surface 690' Cemented to Surface Retainer to Surface TD to Retainer Receive Office of Oil

WR-38 Rev (5-08)

Page 2

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE: January 21^{S+}, 2015 API #: 47-097-03795P Lease No: 63848, 210294,

210295, 210296


AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name: WOODY, D.J., ET AL Operator Well No.: ALT8FHS Plugging

COAL OPERATOR or OWNER

Coal Operato	r Dustin B. O'Deil	Coal Operator	Gary L. O'Dell
or Owner	329 Hawthorne Drive	or Owner	604 Hall Street
	Charleston, WV 25302		Charleston, WV 25302
Coal Operato	r Linda Gail McMillen	Coal Operator	Marvin W. Culpepper
or Owner	504 Kanawha Blvd	or Owner	616 Stonewall Drive
	Charleston, WV 25302		Charleston, WV 25302

Created: (11/18/2014)
Permit Issued Date: 10/15/2013



AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Pinnacle Lan	d Co.	Operator	Well No.: 1-S-6	56	_	
LOCATION:	Elevation: 1342	. 8	Quadra	nale: Pinevill	e 7-1/2	_	
	District: Center					•	
	Latitude:	Feet South	of De	a. Min	Sec		
	Longitude:	Feet West	of	Deg. Min.	Sec.		
Well Type: (DIL GAS						
Company	Pinnacle Minis	ng Co Coal				RECE	IVED
	P 0 Box 338 Pineville WV			P O Box 338		Office of Oi	
	TIMEVILLE WV			Pineville WV	24874		
Agent	David Trader	or O	Operator _			2	o 2015
Permit Issue		0/12	- WIICI				
			_				tment of
07177			AFFIDAVIT	•		Environmenta	d Protection
	EST VIRGINIA,		•				•
County of	Incoln ss:						
Paul Ste	evens and	d Rodnev Mi	ller	hoing first d			
und buy mat m	ay are experienced in	line work of bluggin	a and tilling of	i and nae walle and i	MORO COMPLEMENT HALL	المسالم المسالة	
wen operator,	and participated in the	work of billaainn	and tilling the	ahova wali cov th	of acid wasters		
the <u>23</u>	day of _April	, 20 <u>1</u> ,2and ti	né well was pl	ugged and filled in	the following man	ner:	J
TYPE							
Gel Hole	FROM	TO	PIPE	REMOVED	LEF	T	
Cement	Surface 1956'	1956' 1100'	ļ				
Pull 4-1/2		262'	 	262'	7" - 1026'		
Cement	1000'	Surface	Donf / 1	<u>/2" 836" - 59</u>	1831'		
	1000	Dullace	Perf 4-1	<u>/2" & 7" 500'</u>	1001		
			Mill out	contion 4 1	211 5001 5	7.51	
Plugged Ac	cording to 101	.C regulatio	ns to all	OW mining the	2: 392' - 56	,5,	
Description o	f monument: Erect	monument wit	h API # 4	7-109-0102and	that the work of pla	ugging and filling	
said well was co	empleted on the 16t	h day of MAY	30 <u>1</u>	<u>2</u> .	·	55 55	
And further d	eponents saith not.	Yaul	2/1/2	14.	~~~~	~~~~	~
		James		111		OFFICIAL SEAL OTARY PUBLIC	(
		· Tours	4 1011	ller St.	STATE	OF WEST VIRGINIA	(
	ubscribe before me this	orth /	M			IAEL E. MINNEY VHISPERING PINES	- (;
Sworn and si	ubscribe before me this	s <u>alo</u> day of	May A	, 30_,123, 😘	ALUM	CREEK, WV 25003 ion expires October 7, 20	,,, (·
ly commission	expires: 10-7-20)ia	C)1//	11/64		in adulta contra 1, 20	ゴ
	100	1-4	18/4	Notary Public '			
	•	ρ	1.	1/		•	
affidavit reviewe	d by the Office of Oil a	and Gas: _/(🈘a.	my The	tras	Title: MADE	the	
		•	T	/-	7		,